EOG Resources, Inc. P.O. 1910 Vernal, UT 84078

September 2, 2005

Utah Division of Oil, Gas, & Mining 1594 West North Temple, Suite 1210 P.O. Box 145801 Salt Lake City, UT 84114-5801

> RE: APPLICATION FOR PERMIT TO DRILL NORTH CHAPITA 298-28 NE/SE, SEC. 28, T8S, R22E UINTAH COUNTY, UTAH LEASE NO.: U-059 UTE INDIAN TRIBAL LANDS

Enclosed please find a copy of the Application for Permit to Drill and associated attachments for the referenced well.

Please address further communication regarding this matter (including approval) to:

Ed Trotter P.O. Box 1910 Vernal, UT 84078 Phone: (435)789-4120


Fax: (435)789-1420

Sincerely,

Agent

EOG Resources, Inc.

Attachments



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0137 Expires March 31, 2007


OF THE INTERIOR 5. Lease Serial No.

U-059

6. If Indian, Allottee or Tribe Name
UTF, INDIAN TRIRE

= TENTION FOR TERM	IIT TO DRILL OR REENTI	SR	UTE INDIA	N TRIBE	
la. Type of Work: X DRILL	7.	7. If Unit or CA Agreement, Name and No.			
1b. Type of Well: Oil Well X Gas Well Other	r Single Zone X Multiple Zone		Lease Name and W	ell No. IAPITA 298-28	
2. Name of Operator EOG RESOURCES, INC.		9.	API Well No. 43-04-7	1-37146	
3a. Address P.O. BOX 1815 VERNAL, UT 84078	3b. Phone No. (Include area code) (435)789-0790	1	ield and Pool, or Ex	ploratory	
At surface 1832' FSL, 510' FEL 433 At proposed prod. Zone	38942Y -109.436908		EC. 28, T8S, S.L.B.&N		
14. Distance in miles and direction from nearest town or post of 15.57 MILES SOUTHEAST OF OU	office*		ounty or Parish	13. State UTAH	
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. Unit line, if any)	16. No. of Acres in lease	17. Spacir 40	ng Unit dedicated to	this well	
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. See Topo Map C	19. Proposed Depth 10,330'		BLM/BIA Bond No. on file NM-2308		
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 4807.9 FEET GRADED GROUND	22. Approximate date work will start* UPON APPROVAL		23. Esti mated duration 45 DAYS		
Attachments	24. Attachments				
The following, completed in accordance with the requirem	nents of Onshore Oil and Gas Order No. 1, sh	nall be attache	d to this form:		
 Well plat certified by a registered surveyor. A Drilling Plan. A Surface Use Plan (if the location is on National Forest SUPO shall be filed with the appropriate Forest Services) 	4. Bond to cover the (see Item 20 about System Lands, the Office). 5. Operator certificating of Such other site spectors by the authorize	ove). on. ific informatio		-	
25. Signature	Name (Printed/Typed) Ed Trotter			Date eptember 2, 2005	
Title Agent					
Approved by Signature	Name (Printed/Typed) BRADLEY G. HILL ENVIRONMENTAL SCIENTIST	TTT	Dare	ECEIV	
Trite 09-19-05	Office			SEP 4 2005	
Application approval does not warrant or certify that the application onduct operations thereon. Conditions of Approval, if any, are attached.	nt holds legal or equitable title to those rights	in the subject		entitle the applicant to OF OIL, GAS & MININ	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



NORTH CHAPITA WELL 298-28 NE/SE, SEC. 28, T8S, R22E, S.L.B.&M. UINTAH COUNTY, UTAH

1. & 2. ESTIMATED TOPS & ANTICIPATED OIL, GAS, & WATER ZONES:

FORMATION	DEPTH (KB)
Green River	2,361
Wasatch	5,317'
Chapita Wells	5,950'
Buck Canyon	6,640'
North Horn	7,192'
Island	7,779'
KMV Price River	8,146'
KMV Price River Middle	8,864'
KMV Price River Lower	9,619'
Sego	10,228'

EST. TD: 10,330'

Anticipated BHP 4500 PSI

DATING FACTOR

3. PRESSURE CONTROL EQUIPMENT:

Intermediate Hole – 3000 PSIG Production Hole – 3000 PSIG BOP Schematic Diagrams attached.

4. CASING PROGRAM:

							RATING FACTOR
HOLE SIZE	<u>INTERVAL</u>	LENGTH	SIZE	WEIGHT	GRADE	THREAD	COLLAPSE BURST TENSILE
17 ½"	0'-250'	250'	13 3/8"	48.0#	H-40	STC	770 PSI 1730 PSI 322,000#
12 1/4"	250' - 2300'+/- KB	2300' +/-	9 5/8"	36.0 #	J-55	ST&C	2020 PSI 3520 PSI 394,000#
7 7/8"	2300' - TD +/-KB	10,330' +/-	4 ½"	11.6 #	N-80	LT&C	6350 PSI 7780 PSI 223,000#

Note: The 12 $\frac{1}{4}$ " Intermediate hole will be drilled to a total depth of 200' below the base of the Green River lost circulation zone and 9 $\frac{5}{4}$ " casing will be set to that depth. Actual setting depth of the 9 $\frac{5}{4}$ " casing may be less than 2300' in this well.

All casing will be new or inspected.

5. Float Equipment:

Surface Hole Procedure (0-250' Below GL):

Guide Shoe

Insert Baffle

Wooden wiper plug

Centralizers: 1 - 5 - 10° above shoe, every collar for next 3 joints (4 total).

Intermediate Hole Procedure (250'-±2300')

Guide Shoe

Insert Float Collar (PDC drillable)

Cents.: 1-5' above shoe, top of its. #2 and #3 then every 5th joint to surface. (15 total)

NORTH CHAPITA WELL 298-28 NE/SE, SEC. 28, T8S, R22E, S.L.B.&M. UINTAH COUNTY, UTAH

Float Equipment (Continued):

Production Hole Procedure (± 2300'-TD'):

FS, 1 joint of casing, FC, and balance of casing to surface. Run 11.6#, N-80 burst rating or equivalent marker collars or short casing joints at \pm 8,146' (Top of Price River) and \pm 4,900' (400' above the Wasatch) (alter depth if needed to avoid placing across any potentially-productive intervals). Centralize 5' above shoe on joint #1, top of joint #2, then every 2nd joint to 400' above Price River top (50 total). Thread lock FS, top and bottom of FC, and top of 2^{nd} joint.

6. MUD PROGRAM

Surface Hole Procedure (0-250' below GL):

Air – Air Water Mist

Intermediate Hole Procedure (250'-± 2300'):

Water (circulate through reserve pit) with Gel/LCM sweeps.

Production Hole Procedure (± 2300'-TD):

±2300-7500' Use water (circulated through reserve pit) with PHPA polymer sweeps on a regular basis. Adjust frequency of sweeps based on cuttings quality and hole conditions. Gel/LCM sweeps can also be used for additional cleaning and for reducing seepage, but should not be "substituted" for the PHPA sweeps.

While on water, spot either salt water or pre-mixed weighted mud as required to prevent flow during trips after gas influxes have been encountered. Watch cuttings size, shape and quantity to determine if increase in mud weight is required. <u>Increased mud weight is often the key to shale stability in this area</u>. Treat for any CO₂ contamination with Lime and Gyp.

7500'- TD' Close mud system in. "Mud up" with Hi-Yield bentonite for primary viscosity and PHPA polymer for supplemental viscosity and clay encapsulation/inhibition. Utilize white Starch or PAC for filtration control. Treat with bactericide if required. Maintain pH in 9.0-10.0 range.

Expect increasing gas influxes requiring heavier mud weights as drilling progresses. Adjust mud weight as needed. Use deflocculants/thinners if required to maintain good flow properties.

Run LCM sweeps periodically to seal-off loss zones. Adjust sweep frequency based on observed losses. Maintain water loss 15 cc's or less. Treat CO₂ contamination with Lime and/or Gypsum.

NORTH CHAPITA WELL 298-28 NE/SE, SEC. 28, T8S, R22E, S.L.B.&M. UINTAH COUNTY, UTAH

7. VARIANCE REQUESTS:

- A. EOG Resources, Inc. requests a variance to regulations requiring a straight run blooie line (Where possible, a straight run blooie line will be used).
- B. EOG Resources, Inc. requests a variance to regulations requiring an automatic ignitor or continuous pilot light on the blooie line. (Not required on aerated water system).
- C. EOG Resources, Inc. requests a variance to regulations requiring the blooie line to be 100' in length. To reduce location excavation, the blooie line will be 75' in length.

8. EVALUATION PROGRAM:

Logs: No Open Hole Logs Cased Hole Logs.

9. CEMENT PROGRAM:

Surface Hole Procedure (0-250' Below GL)

Lead: 300 sks (100% excess volume) Class 'G' cement with 2% S1 (CaCl2) & 0.25 pps D29 (cellophane flakes), mixed at 15.8 ppg, 1.16 ft³./sk., 4.95 gps water.

Top Out: Top out with Class 'G' cement with 2% S1 (CaCl2) in mix water, 15.8 ppg, 1.16 ft³./sk., 4.95 gps via 1" tubing set at 25' if needed.

Intermediate Hole Procedure (250'-± 2300'):

Option #1 -

Lead: 85 sks: (50% excess volume) Class 'G' lead cement (coverage from 1700-1000') with 5% D44 (Salt), 12% D20 (Bentonite), 1% D79% (Extender), 0.25% D112 (Fluid Loss Additive), 0.2% D46 (Anti-Foamer) & 0.25 pps D29 (Cellophane flakes) mixed at 11.0 ppg, 3.91 ft³/sk., 24.5 gps water.

Tail: 290 sks: (50% excess volume) Class 'G' cement (coverage from 2700-1700') with 10% D53 (Gypsum), 2% S1 (CaCl2) & 0.25 pps D29 (Cellophane flakes) mixed at 14.2 ppg, 1.61 ft³/sk., 7.9 gps water.

Option 2:

Lead: 210 sks: (60% excess volume) Class 'G' lead cement (coverage from 2300-1800') with 2% BWOC (Calcium Chloride), ½#/sk Flocele mixed at 15.6 ppg, 1.18 ft³/sk., 5.2 gps water.

Tail: 720 sks: (60% excess volume) Class 'G' cement (coverage from 1800'-Surface) with 2% BWOC (Calcium Chloride), ½#/sk Flocele mixed at 15.6 ppg, 1.18 ft³/sk., 5.2 gps water.

NORTH CHAPITA WELL 298-28 NE/SE, SEC. 28, T8S, R22E, S.L.B.&M. UINTAH COUNTY, UTAH

CEMENT PROGRAM (Continued):

Production Hole Procedure (± 2300' to TD)

Lead: 110 sks 35:65 Poz G w/ 4% D20 (Bentonite), 2% D174 (Extender), 0.2% D65 (Dispersant), 0.2% D46 (Antifoam), 0.75% D112 (Fluid Loss Additive), 0.15% D13 (Retarder), 0.25 pps D29 (cello flakes), mixed at 13.0 ppg, 1.73 ft³/sk., 9.06 gps water

Tail: 190 sks: 50:50 Poz G w/ 2% D20 (Bentonite), 0.1% D46 (Antifoam), 0.15% D13 (Retarder), 0.2% D167 (Fluid Loss Additive), 0.2% D65 (Dispersant), mixed at 14.1 ppg, 1.28 ft³/sk., 5.9 gps water.

10. ABNORMAL CONDITIONS:

Intermediate Hole (250'-± 2300'):

Lost circulation

Production Hole (± 2300'-TD):

Sloughing shales and key seat development are possible in the Wasatch Formation.

11. STANDARD REQUIRED EQUIPMENT:

- A. Choke Manifold
- B. Kelly Cock
- C. Stabbing Valve
- D. Visual Mud Monitoring

12. HAZARDOUS CHEMICALS:

No chemicals subject to reporting under SARA title III in an amount equal to or greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling of this well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling of this well.

(Attachment: BOP Schematic Diagram)

3000 PSIG DIAGRAM

ANNULAR PREVENTOR AND BOTH RAMS ARE 3000 PSIG RATED. CASING FLANGE IS 11" 3000 PSIG RATED. **ROTATING HEAD** BOPE 11" 3000 PSIG TESTING PROCEDURE: FLOW LINE 1. BOPE's will be tested with a professional tester to conform to Onshore Order #2 with retest every 14 days. 2. Blind & Pipe rams will be tested to rated working pressure, 3000 psig. 3. Annular preventor will be tested to 50% of working pressure, 1500 psig. 4. Casing will be tested to 0.22 psi/ft. or 1500 psig. Not to exceed 70% of burst **ANNULAR** strength, whichever is greater. **PREVENTER** 5. All lines subject to well pressure will be pressure-tested to the same pressure as blind & pipe rams. 6. All BOPE specifications and configurations will meet Onshore Order #2 requirements for 3000 psig BOPE specifications. PIPE RAMS **CHOKE MANIFOLD** 2" MIN ADJUSTABLE CHOKE TO MUD/GAS SEPARATOR OR PIT **BLIND RAMS** 3" MINIMUM RATED **3000 PSIG** 3" MINIMUM 2" KILL LINE BLEED LINE TO PIT 3" DIAMETER **CASING** 2" MINIMUM \FLANGE(SPOOL 11" 3000 PSIG TO MUD/GAS SEPARATOR ADJUSTABLE CHOKE OR PIT (Note: Blind Rams may be installed above or below the pipe rams)

CONDITIONS OF APPROVAL FOR THE SURFACE USE PROGRAM OF THE APPLICATION FOR PERMIT TO DRILL

Company/Operator:

EOG Resources, Inc.

Well Name & Number: North Chapita 298-28

Lease Number:

U-059

Location:

1832' FSL & 510' FEL, NE/SE, Sec. 28,

T8S, R22E, S.L.B.&M., Uintah County

Surface Ownership:

Ute Indian Tribe

NOTIFICATION REQUIREMENTS

Location Construction - forty-eight (48) hours prior to construction

of location and access roads.

Location Completion - prior to moving on the drilling rig.

Spud Notice:

- at least twenty-four (24) hours prior to

spudding the well.

Casing String and

Cementing

- twenty-four (24) hours prior to running

casing and cementing all casing strings.

BOP and related

Equipment Tests

- twenty-four (24) hours prior to running

casing and tests.

First Production

Notice

- within five (5) business days after new

Well begins or production resumes after Well has been off production for more

than ninety (90) days.

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

THIRTEEN POINT SURFACE USE PROGRAM

1. EXISTING ROADS

- A. See attached Wellsite Plats showing directional reference stakes on location, and attached TOPO Map "B" showing access to location from existing roads.
- B. The proposed well site is located approximately 15.57 miles southeast of Ouray, Utah See attached TOPO Map "A".
- C. Refer to attached Topographic Map "A" showing labeled access route to location.
- D. Existing roads will be maintained and repaired as necessary. No off lease Right-of-Way will be required.

2. PLANNED ACCESS ROAD

- A. The access road will be approximately 0.1 miles in length. See attached TOPO Map "B".
- B. The access road has a 30 foot ROW w/ 18 foot running surface.
- C. Maximum grade on access road will be 8%.
- D. No turnouts will be required.
- E. A low water crossing with cobble rock will be installed in the drainage at the approach to the North Chapita Wells 255-28. All other road drainage crossings shall be of the typical dry creek drainage crossing type.
- F. A culvert will be placed in the drainage at the start of the access road. No other culverts, bridges, or major cuts and fills will be required.
- G. The access road will be dirt surface.
- H. No gates, cattleguards, or fences will be required or encountered.

New or reconstructed roads will be centerlined - flagged at time of location staking.

All travel will be confined to existing access road Right-of-Way.

Access roads and surface disturbing activities will conform to standards outlined in the Bureau of Land Management and Forest Service Publication: Surface Operating Standards For Oil & Gas Exploration and Development, (1989).

The road shall be upgraded to meet the standards of the anticipated traffic flow and all-weather road requirements. Upgrading shall include ditching, drainage, graveling, crowning, and capping the roadbed as necessary to provide a well-constructed safe road. Prior to upgrading, the road shall be cleared of any snow cover and allowed to dry completely. Traveling off the 30 foot Right-of-Way will not be allowed.

Road drainage crossings shall be of the typical dry creek drainage crossing type. Crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossings nor shall the drainages be blocked by the roadbed. Erosion of drainage ditches by run off water shall be prevented by diverting water off at frequent intervals by means of cutouts. Upgrading shall not be allowed during muddy conditions. Should mud holes develop, they shall be filled in and detours around them avoided.

As operator, EOG Resources, Inc. shall be responsible for all maintenance on cattleguards, or gates associated with this oil and/or gas operation.

3. LOCATION OF EXISTING WELLS WITHIN A ONE MILE RADIUS OF PROPOSED WELL LOCATION

A. Producing wells - 6*

(*See attached TOPO map "C" for location)

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

A. ON WELL PAD

- 1. Production facilities will be set on location if the well is successfully completed for production. Facilities will consist of well head valves, separator, dehy, 210 Bbl condensate tank, meter house, and attached piping.
- 2. Gas gathering lines A 4" gathering line will be buried from dehy to the edge of the location.

B. OFF WELL PAD

- 1. Proposed location of attendant off pad flowlines shall be flagged prior to archaeological clearance.
- 2. A 4" OD steel above ground natural gas pipeline will be laid approximately 1293' from proposed location to a point in the SE/SE of Section 28, T8S, R22E, where it will tie into Questar Pipeline Co.'s existing line. Proposed pipeline crosses BIA administered lands, thus a Right-of-Way grant will be required.
- 3. Proposed pipeline will be a 4" OD steel, welded line laid on the surface.
- 4. Protective measures and devices for livestock and wildlife will be taken and/or installed where required.

If storage facilities/tank batteries are constructed on this lease, the facility/battery or the well pad shall be surrounded by a containment dike of sufficient capacity to contain, at a minimum, the entire contents of the

largest tank within the facility/battery, unless more stringent protective requirements are deemed necessary by the authorized officer.

The production facilities will be placed on the Northeast side of the location.

All permanent (on site for six months or longer) structures constructed or installed (including pumping units) will be painted a flat, non-reflective, earthtone color to match one of the standard environmental colors, as determined by the Rocky Mountain Five State Interagency Committee. All facilities required will be painted within 6 months of installation. Facilities required to comply with O.S.H.A. (Occupational Safety and Health Act) will be excluded.

The required paint color is Carlsbad Canyon.

If at any time the facilities located on public land and authorized by the terms of the lease are no longer included in the lease (due to a construction in the unit or other lease or unit boundary change), the BIA will process a change in authorization to the appropriate rental or other financial obligation as determined by the authorized officer.

5. LOCATION & TYPE OF WATER SUPPLY

- A. Water supply will be from the Ouray Brine Plant at Ouray, Utah, and/or Target Trucking Inc.'s water source in the SW/SW, Sec. 35, T9S, R22E, Uintah County, Utah (State Water Right #49-1501). Produced water from the Chapita Wells and Stagecoach Units will also be used.
- B. Water will be hauled by a licensed trucking company.
- C. No water well will be drilled on lease.

6. SOURCE OF CONSTRUCTION MATERIAL

- A. All construction material for this location and access road will be of native borrow and soil accumulated during the construction of the location.
- B. All construction material will come from Tribal Land.
- C. No mineral materials will be required.

7. METHODS OF HANDLING WASTE DISPOSAL

A. METHODS AND LOCATION

- 1. Cuttings will be confined in the reserve pit.
- 2. A portable toilet will be provided for human waste during the drilling and completion of the well. Disposal will be at the Vernal sewage disposal plant.

- 3. Burning will not be allowed. Trash and other waste material will be contained in a wire mesh cage and disposed of at the Uintah County landfill.
- 4. Produced wastewater will be confined to a lined pit or storage tank for a period not to exceed 90 days after initial production. After the 90 day period, the produced water will be contained in a tank on location and then disposed of at one of the following three locations: Natural Buttes Unit 21-20B SWD, Ace Disposal, or EOG Resources, Inc. drilling operations (Chapita Wells Unit, Natural Buttes Unit & Stagecoach Unit).
- 5. All chemicals will be disposed of at an authorized disposal site. Drip pans and absorbent pads will be used on the drilling rig to avoid leakage of oil to the pit.
- B. Water from drilling fluids and recovered during testing operations will be disposed of by either evaporating in the reserve pit or be removed and disposed of at an authorized disposal site. Introduction of well bore hydrocarbons to the reserve pit will be avoided by flaring them off in the flare pit at the time of recovery.

On BIA administered land:

The reserve pit will be constructed so as not to leak, break, or allow discharge. If the reserve pit requires padding prior to lining (due to rocky conditions) felt padding will be used.

The reserve pit shall be lined with a plastic liner. A felt liner will also be installed if rock is encountered during pit construction.

8. ANCILLARY FACILITIES

A. No airstrips or camps are planned for this well.

9. WELLSITE LAYOUT

- A. Refer to attached well site plat for related topography cuts and fills and cross sections.
- B. Refer to attached well site plat for rig layout and soil material stockpile location as approved on On-site.
- C. Refer to attached well site plat for rig orientation, parking areas, and access road.

The reserve pit will be located on the Southwest corner of the location. The flare pit will be located downwind of the prevailing wind direction on the West side of the location, a minimum of 100 feet from the well head and 30 feet from the reserve pit fence.

The stockpiled topsoil will be stored between Corners #6 and #8, as well as between Corner #2 and the access road.

Access to the well pad will be from the Southwest.

Corners #2, #6, & #8 will be rounded off to minimize excavation.

FENCING REQUIREMENTS:

All pits will be fenced according to the following minimum standards:

- A. Thirty-nine inch net wire shall be used with at least one strand of barbed wire on top of the net wire. (Barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence).
- B. The net wire shall be no more than 2 inches above the ground. The barbed wire strand shall be 3 inches above the net wire. Total height of the fence shall be at least 42 inches.
- C. Corner posts shall be cemented and/or braced in such a manner as to keep the fence tight at all times.
- D. Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than 16 feet.
- E. All wire shall be stretched by using a stretching device before it is attached to the corner posts.

The reserve pit fencing will be on the three sides during drilling operations and on the fourth side when the rig moves off the location. Pits will be fenced and maintained until cleanup.

Each existing fence to be crossed by the access road shall be braced and tied off before cutting so as to prevent slacking of the wire. The opening shall be closed temporarily as necessary during construction to prevent the escape of livestock, and, upon completion of construction, the fence shall be repaired to BIA or SMA specifications. A cattleguard with an adjacent 16-foot gate shall be installed in any fence where a road is to be regularly traveled. If the well is a producer, the cattleguards (shall/shall not) be permanently mounted on concrete bases. Prior to crossing any fence located on Tribal land, or any fence between Tribal land and private land, the operator will contact the BIA, who will in turn contact the grazing permittee or owner of said fence and offer him/her the opportunity to be present when the fence is cut in order to satisfy himself/herself that the fence is adequately braced and tied off.

10. PLANS FOR RESTORATION OF SURFACE

A. PRODUCING LOCATION

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, equipment, debris, materials, trash, and junk not required for production.

Immediately upon well completion, any hydrocarbons on the pit shall be removed in accordance with CFR 3162.7-1.

If a plastic nylon reinforced liner is used, it shall be torn and perforated before backfilling of the reserve pit.

The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximate natural contours. The reserve pit will be reclaimed within 12 months from the date of well completion. Before any dirt work takes place, the reserve pit will be completely dry and all cans, barrels, pipe, fluid, and hydrocarbons, will be removed.

Contact appropriate surface management agency for required seed mixture.

B. DRY HOLE/ABANDONED LOCATION

At such time as the well is plugged and abandoned, the operator will submit a subsequent report of abandonment and the BIA will attach the appropriate surface rehabilitation conditions of approval.

11. SURFACE OWNERSHIP

Access road: <u>Tribal</u> Location: <u>Tribal</u>

12. OTHER INFORMATION

- A. EOG Resources, Inc. will inform all persons in the area who are associated with this project that they are subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator will immediately stop work that might further disturb such materials, and contact the AO. Within five working days the AO will inform the operator as to:
 - whether the materials appear eligible for the National Register of Historic Places;
 - the mitigation measures the operator will likely have to undertake before the site can be used.
 - a time frame for the AO to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the AO are correct and that mitigation is appropriate.

If the operator wished, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the AO will assume responsibility for whatever recordation and stabilization

of the exposed materials that may be required. Otherwise, the operator will be responsible for mitigation costs.

The AO will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the AO that required mitigation has been completed, the operator will then be allowed to resume construction.

- B. As operator, EOG Resources, Inc. will control noxious weeds along Right-of-Ways for roads, pipelines, well sites, or other applicable facilities. A list of noxious weeds will be obtained from the BIA, or the appropriate County Extension Office. On BIA administered land, a Pesticide Use proposal shall be submitted, and given approval, prior to the application of herbicides or other pesticides or possible hazardous chemicals.
- C. The drilling rig and ancillary equipment will be removed from the location prior to commencement of completion operations. Completion operations will be conducted utilizing a completion/workover rig.
- D. Drilling rigs and/or equipment used during drilling operations on this well site will not be stacked or stored on Tribal Lands after the conclusion of drilling operations or at any other time without BIA authorization. However, if BIA authorization is obtained, it is only a temporary measure to allow time to make arrangements for permanent storage on commercial facilities. (The BIA does not seek to compete with private industry. There are commercial facilities available for stacking and storing drilling rigs.)

Additional Surface Stipulations

A culvert will be placed in the drainage at the start of the access road.

A low water crossing with cobble rock will be installed in the drainage at the approach to the North Chapita Wells 255-28.

LESSEE'S OR OPERATOR'S REPRESENTATIVE AND CERTIFICATION

PERMITTING AGENT

Ed Trotter P.O. Box 1910 Vernal, UT 84078

Telephone: (435)789-4120 Fax: (435)789-1420

DRILLING OPERATIONS

Donald Presenkowski EOG Resources, Inc.

P.O. Box 250

Big Piney, WY 83113 Telephone: (307)276-4865

All lease or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approval plan of operations, and any applicable Notice to Lessees.

EOG Resources, Inc. is fully responsible for the actions of their subcontractors. A copy of these conditions will be furnished to the field representative to insure compliance.

A copy of the approved APD and ROW grant, if applicable, shall be on location during construction of the location and drilling activities.

The BIA office shall be notified upon site completion prior to moving on the drilling rig.

Certification

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions that presently exist; that the statements made in the Plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by EOG Resources, Inc. and its contractors and subcontractors in conformity with this Plan and the terms and conditions under which it is approved.

Please be advised that EOG Resources, Inc. is considered to be the operator of the North Chapita 298-28 Well, located in the NE/SE of Section 28, T8S, R22E, Uintah County, Utah; Lease #U-059; and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond Coverage is provided under Bond #NM 2308.

9-2-2005 Date

Agent Agent

EOG RESOURCES, INC. NORTH CHAPITA #298-28 SECTION 28, T8S, R22E, S.L.B.&M.

PROCEED IN A WESTERLY DIRECTION FROM VERNAL, UTAH ALONG U.S. HIGHWAY 40 APPROXIMATELY 14.0 MILES TO THE JUNCTION OF STATE HIGHWAY 88; EXIT LEFT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 17.0 OURAY. UTAH; PROCEED IN Α SOUTHERLY DIRECTION APPROXIMATELY 0.3 MILES ON THE SEEP RIDGE ROAD TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST; TURN LEFT AND PROCEED IN AN EASTERLY DIRECTION APPROXIMATELY 12.3 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE NORTH; TURN LEFT AND PROCEED IN A NORTHERLY DIRECTION APPROXIMATELY 0.6 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST; TURN RIGHT AND PROCEED IN AN EASTERLY DIRECTION APPROXIMATELY 0.4 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE NORTHEAST; TURN LEFT AND PROCEED IN A NORTHEASTERLY DIRECTION APPROXIMATELY 0.2 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE NORTHWEST; TURN LEFT AND PROCEED IN A NORTHWESTERLY DIRECTION APPROXIMATELY 0.1 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE NORTHEAST; TURN RIGHT AND PROCEED IN A NORTHEASTERLY DIRECTION APPROXIMATELY 0.2 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE NORTH; TURN LEFT AND PROCEED IN A NORTHERLY, THEN NORTHEASTERLY DIRECTION APPROXIMATELY 0.4 MILES TO THE #6-33 AND AN EXISTING ROAD TO THE EAST; PROCEED IN AN EASTERLY DIRECTION APPROXIMATELY 0.3 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE NORTH; TURN LEFT AND PROCEED IN A NORTHERLY DIRECTION APPROXIMATLEY 0.2 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE NORTHEAST; TURNLEFT AND PROCEED IN A NORTHEASTERLY DIRECTION APPROXIMATLEY 350' TO THE JUNCTION OF THIS ROAD AND THE PROPOSED ROAD FOR THE #255-28TO THE NORTHEAST; TURN LEFT AND FOLLOW ROAD FLAGS IN A NORTHEASTERLY DIRECTION APPROXIMATLEY 0.3 MILES TO BEGINNING OF THE PROPOSED ACCESS FOR THE #295-28 TO THE NORTHWEST; TURN LEFT AND FOLLOW ROAD FLAGS IN A NORTHWESTERLY DIRECTION APPROXIMATELY 0.1 MILES TO THE BEGINNING OF THE PROPOSED ACCESS TO THE NORTHEAST; TURN RIGHT AND FOLLOW ROAD FLAGS IN A NORTHEASTERLY DIRECTION APPROXIMATLEY 0.1 MILES TO THE PROPOSED LOCATION.

TOTAL DISTANCE FROM VERNAL, UTAH TO THE PROPOSED WELL LOCATION IS APPROXIMATELY 46.55 MILES.

EOG RESOURCES, INC.

NORTH CHAPITA #298-28 LOCATED IN UINTAH COUNTY, UTAH SECTION 28, T8S, R22E, S.L.B.&M.




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: SOUTHEASTERLY




PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS


CAMERA ANGLE: NORTHEASTERLY





Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
435-789-1017 uels@uelsinc.com


LOCATION	PHOTOS	10 MONTH	12 DAY	04 YEAR	рното
AKEN RV-GS	DRAWN BY: L.K	REV	ISED: (0-00-00	















APD RECEIVED: 09/14/2005	API NO. ASSIGNED: 43-047-37146
WELL NAME: N CHAPITA 298-28 OPERATOR: EOG RESOURCES INC (N9550) CONTACT: ED TROTTER PROPOSED LOCATION: NESE 28 080S 220E SURFACE: 1832 FSL 0510 FEL BOTTOM: 1832 FSL 0510 FEL UINTAH NATURAL BUTTES (630) LEASE TYPE: 1 - Federal LEASE NUMBER: U-059 SURFACE OWNER: 2 - Indian PROPOSED FORMATION: PRRV COALBED METHANE WELL? NO	PHONE NUMBER: 435-789-4120 INSPECT LOCATN BY: / / Tech Review Initials Date Engineering Geology Surface LATITUDE: 40.09212 LONGITUDE: -109.4369
RECEIVED AND/OR REVIEWED: ✓ Plat ✓ Bond: Fed[1] Ind[] Sta[] Fee[] (No. NM-2308) ✓ Potash (Y/N) ✓ Oil Shale 190-5 (B) or 190-3 or 190-13 ✓ Water Permit (No. 49-1501) ✓ RDCC Review (Y/N) (Date:) ✓ MAP Fee Surf Agreement (Y/N) NAP Intent to Commingle (Y/N)	LOCATION AND SITING: R649-2-3. Unit R649-3-2. General Siting: 460 From Qtr/Qtr & 920' Between Wells R649-3-3. Exception Drilling Unit Board Cause No: Eff Date: Siting: R649-3-11. Directional Drill
STIPULATIONS: 1- Cedent Opprover 2 Spacing Stip	





State of Utah

Department of Natural Resources

> MICHAEL R. STYLER Executive Director

Division of Oil, Gas & Mining

JOHN R. BAZA
Division Director

JON M. HUNTSMAN, JR. Governor

GARY R. HERBERT Lieutenant Governor

September 19, 2005

EOG Resources, Inc. P O Box 1815 Vernal, UT 84078

Re:

North Chapita 298-28 Well, 1832' FSL, 510' FEL, NE SE, Sec. 28, T. 8 South,

R. 22 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-37146.

Sincerely,

Gil Hunt

Associate Director

pab Enclosures

cc:

Uintah County Assessor

Bureau of Land Management, Vernal District Office

Operator:	EOG Resources, Inc.			
Well Name & Number	North Chapita 298-2	8		
API Number:	43-047-37146			
Lease:	U-059			
Location: NE SE	Sec. 28	T. 8 South	R. 22 East	

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.
- 5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS AND MINING			5. LEASE DESIGNATION AND SERIAL NUMBER: U-059		
SUNDRY NOTICES AND REPORTS ON WELLS				6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ute Indian Tribe	
Do not use this form for proposals to drill ne drill horizontal la	ew wells, significantly deepen existing wells belo terals. Use APPLICATION FOR PERMIT TO D	ow current bottom-hole depi RILL form for such proposa	th, reenter plugged wells, or to ils.	7. UNIT of CA AGREEMENT NAME:	
1. TYPE OF WELL OIL WELL	GAS WELL 🗹 OTHI	ER		8. WELL NAME and NUMBER: North Chapita 298-28	
2. NAME OF OPERATOR: EOG Resources, Inc.				9. API NUMBER: 43-047-37146	
3. ADDRESS OF OPERATOR: 600 17th St., Ste 1000N	Denver STATE CO	_{ZiP} 80202	PHONE NUMBER: (303) 824-5526	10. FIELD AND POOL, OR WILDCAT: Natural Buttes/Mesaverde	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1832'	FSL & 510' FEL 40.092133 L	_AT 109.437586	LON	county: Uintah	
QTR/QTR, SECTION, TOWNSHIP, RANG	GE, MERIDIAN: NESE 28 8S	22E S		STATE: UTAH	
11. CHECK APPF	ROPRIATE BOXES TO INDI			RT, OR OTHER DATA	
TYPE OF SUBMISSION			YPE OF ACTION		
NOTICE OF INTENT	ACIDIZE	DEEPEN FRACTURE		REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL	
(Submit in Duplicate) Approximate date work will start:	ALTER CASING CASING REPAIR	☐ NEW CONS		TEMPORARILY ABANDON	
Approximate date work will start.	CHANGE TO PREVIOUS PLANS	OPERATOR		TUBING REPAIR	
	CHANGE TUBING	PLUG AND		VENT OR FLARE	
SUBSEQUENT REPORT	CHANGE VELL NAME	PLUG BACK		WATER DISPOSAL	
(Submit Original Form Only)	CHANGE WELL STATUS		ON (START/RESUME)	WATER SHUT-OFF	
Date of work completion:	COMMINGLE PRODUCING FORMATI		ION OF WELL SITE	other: APD Renewal	
	CONVERT WELL TYPE	=	ETE - DIFFERENT FORMATION	<u> </u>	
12. DESCRIBE PROPOSED OR CO	DMPLETED OPERATIONS. Clearly sho	w all pertinent details in	cluding dates, depths, volume	s, etc.	
EOG Resources, Inc. requ	uests the APD for the referen			5 be extended for one year.	
		Approved Utah Div	d by the		
		Oil Gas as	ision of		
		Oil, Gas ar	id wiining	DEOEN/ED	
		100 -	~ A 1	RECEIVED	
	E	Date: <u>(() - C</u>	15-06n	OCT 0 3 2006	
	ь	\mathcal{R}	M CHAT	00,1 0 0 2000	
	Ь	is: Dog	MANUE	DIV. OF OIL, GAS & MINING	
	10-10-06 PM				
NAME (PLEASE PRINT) Mary A. M	laestas		Regulatory Assist	ant	
SIGNATURE Mary (Marjon	DA1	10/2/2006		

(This space for State use only)

Application for Permit to Drill Request for Permit Extension Validation

Validation
(this form should accompany the Sundry Notice requesting permit extension)

API:

43-047-37146

Well Name: North Chapita 298-28 Location: 1832 FSL 510 FEL (NESE), SECTION 28, T8S, R22E S.L.B.&M Company Permit Issued to: EOG RESOURCES, INC.				
Date Original Permit Issued: 9/19/2005				
The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.				
Following is a checklist of some items related to the application, which should be verified.				
If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes□No□				
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes□No☑				
Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□No☑				
Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes□No ☑				
Has the approved source of water for drilling changed? Yes□No☑				
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes□No☑				
Is bonding still in place, which covers this proposed well? Yes ☑No ☐				
Mary a. Mae a				
Signature Date				
Title: REGULATORY ASSISTANT				
Representing: EOG RESOURCES, INC.				

RECEIVED OCT 0 3 2006

STATE OF UTAH	FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: U-059	
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ute Indian Tribe	
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT of CA AGREEMENT NAME:	
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: North Chapita 298-28	
2. NAME OF OPERATOR: EOG Resources, Inc.	9. API NUMBER: 43-047-37146	
3. ADDRESS OF OPERATOR: 1060 East Highway 40 CITY Vernal STATE UT ZIP 84078 PHONE NUMBER: (435) 781-9111	10. FIELD AND POOL, OR WILDCAT: Natural Buttes/Mesaverde	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1832' FSL & 510' FEL 40.092133 LAT 109.437586 LON	соинту: Uintah	
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NESE 28 8S 22E S	STATE: UTAH	
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA	
TYPE OF SUBMISSION TYPE OF ACTION		
✓ NOTICE OF INTENT ☐ ACIDIZE ☐ DEEPEN	REPERFORATE CURRENT FORMATION	
(Submit in Duplicate) ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL	
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON	
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR	
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE	
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK (Submit Original Form Only)	WATER DISPOSAL	
CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF	
Date of work completion: COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	✓ OTHER: APD Renewal	
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION		
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volume EOG Resources, Inc. requests the APD for the referenced well originally approved 9/19/200		
Approved by the Utah Division of Oil, Gas and Mining Date: 17-97 By: 19-29-07		
NAME (PLEASE DRINT) Kaylene R. Gardner TITLE Lead Regulatory	Assistant	
NAME (FEE/OF PRINT)		
SIGNATURE DATE 9/25/2007		

RECEIVED SEP 2 7 2007

Application for Permit to Drill Request for Permit Extension Validation

(this form should accompany the Sundry Notice requesting permit extension)

API:

43-047-37146

Well Name: North Chapita 298-28 Location: 1832 FSL 510 FEL (NESE), SECTION 28, T8S, R22E S.L.B.&M Company Permit Issued to: EOG RESOURCES, INC. Date Original Permit Issued: 9/19/2005				
The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.				
Following is a checklist of some items related to the application, which should be verified.				
If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes □ No □				
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes ☐ No ☑				
Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□No☑				
Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes□No ☑				
Has the approved source of water for drilling changed? Yes□No☑				
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes□No☑				
Is bonding still in place, which covers this proposed well? Yes ☑ No ☐				
Signature Date				
Title: LEAD REGULATORY ASSISTANT				
Representing: EOG RESOURCES, INC.				
RECEIVED				
SEP 2 7 2007				

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL. GAS AND MINING

(5/2000)

Initials:_

DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: U-059
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ute Indian Tribe
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: North Chapita 298-28
2. NAME OF OPERATOR: EOG Resources, Inc.	9. API NUMBER: 43-047-37146
3. ADDRESS OF OPERATOR: 1060 East Highway 40 Vernal UT 84078 PHONE NUMBER: (435) 781-9111	10. FIELD AND POOL, OR WLDCAT: Natural Buttes/Mesaverde
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1832' FSL & 510' FEL 40.092133 LAT 109.437586 LON	соинту: Uintah
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NESE 28 8S 22E S	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF ACTION	
✓ NOTICE OF INTENT ☐ ACIDIZE ☐ DEEPEN	REPERFORATE CURRENT FORMATION
(Submit in Duplicate) ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK (Submit Original Form Only)	WATER DISPOSAL
Date of work completion: CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF
COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	✓ other: APD Renewal
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volume	s, etc.
EOG Resources, Inc. requests the APD for the referenced well originally approved 9/19/2009	5 be extended for one year.
Approved by the Utah Division of Oil, Gas and Mining	
Date: 10-13-08 By:	
NAME (PLEASE PRINT) Mickenzie Thacker TITLE Operations Clerk	
SIGNATURE MALLE 9/30/2008	
This space for State use only)	
COPY SENT TO OPERATOR	RECEIVED
Date: 10x14,200R	OCT 0 2 2008

(See Instructions on Reverse Side)

DIV. OF OIL, GAS & MINING

Application for Permit to Drill Request for Permit Extension Validation

(this form should accompany the Sundry Notice requesting permit extension)

API:

43-047-37146

Well Name: North Chapita 298-28 Location: 1832 FSL 510 FEL (NESE), SECTION 28, T8S, R22E S.L.B.&M Company Permit Issued to: EOG RESOURCES, INC. Date Original Permit Issued: 9/19/2005				
The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.				
Following is a checklist of some items related to the application, which should be verified.				
If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes □ No □				
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes□ No ☑				
Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□No☑				
Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes ☐ No ☑				
Has the approved source of water for drilling changed? Yes□No☑				
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes□No☑				
Is bonding still in place, which covers this proposed well? Yes ☑No□				
Midlmu Thall) 9/30/2008 Signature Date				
Title: Operations Clerk				
Representing: EOG Resources, Inc.				
RECEIVED				
OCT 0 2 2008				

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: U-059
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: N CHAPITA 298-28
2. NAME OF OPERATOR: EOG Resources, Inc.			9. API NUMBER: 43047371460000
3. ADDRESS OF OPERATOR: PHONE NUMBER: 1060 East Highway 40 , Vernal, UT, 84078 435 781-9111 Ext			9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1832 FSL 0510 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NESE Section: 28 Township: 08.0S Range: 22.0E Meridian: S			COUNTY: UINTAH
			STATE: UTAH
CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
	□ ACIDIZE □ CHANGE TO PREVIOUS PLANS □ CHANGE WELL STATUS □ DEEPEN □ OPERATOR CHANGE □ PRODUCTION START OR RESUME □ REPERFORATE CURRENT FORMATION □ TUBING REPAIR □ WATER SHUTOFF □ WILDCAT WELL DETERMINATION OMPLETED OPERATIONS. Clearly show all performs and perfo	D for the referenced well be	
NAME (PLEASE PRINT)	PHONE NUMBE		
Mickenzie Gates SIGNATURE N/A	435 781-9145	Operations Clerk DATE 10/9/2009	



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047371460000

API: 43047371460000 **Well Name:** N CHAPITA 298-28

Location: 1832 FSL 0510 FEL QTR NESE SEC 28 TWNP 080S RNG 220E MER S

Company Permit Issued to: EOG RESOURCES, INC.

Date Original Permit Issued: 9/19/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

require revi	sion. Following is a che	cklist of some items r	elated to the app	lication, wh	ich should be verified.
	ated on private land, ha ed? 📗 Yes 🌘 No	s the ownership chan	ged, if so, has th	e surface ag	reement been
	any wells been drilled in requirements for this le			ch would af	fect the spacing or
	nere been any unit or ot s proposed well? () Y		n place that coul	d affect the	permitting or operation
	there been any changes the proposed location?		ncluding owners	hip, or right	of- way, which could
• Has th	ne approved source of w	vater for drilling chan	ged? 📗 Yes 🌘) No	
	there been any physical je in plans from what w				
• Is bor	nding still in place, whic	h covers this propose	ed well? 🌘 Yes	i 📖 No 😈	oproved by the tah Division of Gas and Mining
Signature:	Mickenzie Gates	Date: 10/9/2009			
Title:	Operations Clerk Repres	enting: EOG RESOUR	CES, INC.		October 12, 2009
				F	00. rul III

DIVISION OF OIL, GAS, AND MINING SILEAGE DESIGNATION AND SERIAL NUMBER: US95 DO INCLUSE this form for proposals to drill new wells, significantly deepen existing wells below current before the driven with the control between the control betwee		STATE OF UTAH		FORM 9
Do not use this form for proposals to drill new wells, significantly deepne existing wells below current botton-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRIVE MELL FOR FOR PERMIT TO DRIVE MELL FOR FOR WELL SAMPLE AND		DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	5	
DOTOLT-INDICATION FOR PREMIT TO PROVIDE OF WELL AND OF OPERATOR: SAROBES OF OPERATOR: A ADDRESS OF OPERATOR: A ADDRESS OF OPERATOR: A ADDRESS OF OPERATOR: B ADDRESS OF OPERATOR: A ADDRESS OF OPERATOR: B ADDRESS OF OPERATOR: A ADDRESS OF OPERATOR: B ADDRESS OF OPERATOR OPERATOR B ADDRESS OF OPERATOR B ADDRESS OF OPERATOR B ADDR			-	
ALDIZE OF SUBMISSION TYPE OF SUBMISSION ACIDIZE ACIDIZ	bottom-hole depth, reenter plu	igged wells, or to drill horizontal laterals. Use Al		7.UNIT or CA AGREEMENT NAME:
ACIDIZE CONVERT WILL TYPE OF ACTION CONVERT WILL TYPE OF SUBMISSION CONVERT WILL TYPE OF ACTION CONVERT WILL TYPE OF ACTION CONVERT WILL TYPE OF SUBMISSION CONVERT WILL TYPE OF ACTION CONVERT WILL TYPE OF SUBMISSION CONVERT WILL TYPE OF ACTION CONVERT WILL TYPE OF SUBMISSION CONVERT WILL TYPE OF ACTION CONVERT WILL TYPE OF SUBMISSION CONVERT WILL TYPE OF ACTION CONVERT WILL TYPE OF SUBMISSION CONVERT WILL TYPE OF ACTION CONVERT WILL TYPE OF ACTION CONVERT WILL TYPE OF ACTION CONVERT WILL TYPE CONVERT WILL TYPE WILL TYPE CONVERT WILL TYPE WIL				
ALGOLATION OF WELL FOOTAGES AT SURFACE: UNITAIN				
STATE: UTAH	3. ADDRESS OF OPERATOR: 1060 East Highway 40 , Verna	PHONE NI al, UT, 84078 435 781-9111 E		
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION ACIDIZE	FOOTAGES AT SURFACE: 1832 FSL 0510 FEL			
TYPE OF SUBMISSION TYPE OF ACTION ACIDIZE ALTER CASING CASING REPAIR				
MOTICE OF INTERIT Approximate data work will start: 8/26/2010 CHANGE WELL STATUS CHANGE FUBING CHANGE WELL NAME		CK APPROPRIATE BOXES TO INDICATE NA	ATURE OF NOTICE, REPORT,	OR OTHER DATA
NOTICE OF INTENT Approximated able work will start: 8/26/2010 CHANGE WELL STATUS COMMINGLE PRODUCING FORMATIONS CONVERT WELL TYPE DATE of Work Compiletion: Deepen PRACTURE TREAT NEW CONSTRUCTION SUBSEQUENT REPORT Delegen PRODUCTION FORMATION PLUG BACK SPUD REPORT Date of Spud: PRODUCTION START OR RESUME RECLAMATION OF WELL SITE RECOMPLETE DIFFERENT FORMATION DATE OF SPUD: DEEPEN SITA STATUS EXTENSION APPOEXTENSION DRILLING REPORT WATER SHUTOFF SITA STATUS EXTENSION APPOEXTENSION DRILLING REPORT WATER SHUTOFF SITA STATUS EXTENSION APPOEXTENSION DRILLING REPORT WILL DETERMINATION OTHER OTHER DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. EOG RESOurces, Inc. respectfully requests the APD for the referenced well be extended for one year. Date : August 31, 2010 By: WATER AUGUST 31, 2010 By: WATER AUGUST 31, 2010 By: WATER AUGUST 31, 2010 DATE Regulatory Assistant DATE DATE	TYPE OF SUBMISSION		TYPE OF ACTION	
Michellè Robles 307 276-4842 Regulatory Assistant SIGNATURE DATE	Approximate date work will start: 8/26/2010 SUBSEQUENT REPORT Date of Work Completion: SPUD REPORT Date of Spud: DRILLING REPORT Report Date:	CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS DEEPEN OPERATOR CHANGE PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION TUBING REPAIR WATER SHUTOFF WILDCAT WELL DETERMINATION OMPLETED OPERATIONS. Clearly show all pertinent respectfully requests the APD for	CHANGE TUBING COMMINGLE PRODUCING FORMATIONS FRACTURE TREAT PLUG AND ABANDON RECLAMATION OF WELL SITE SIDETRACK TO REPAIR WELL VENT OR FLARE SI TA STATUS EXTENSION DITHER t details including dates, depths, vo	CHANGE WELL NAME CONVERT WELL TYPE NEW CONSTRUCTION PLUG BACK RECOMPLETE DIFFERENT FORMATION TEMPORARY ABANDON WATER DISPOSAL ✓ APD EXTENSION OTHER: Dolumes, etc. Approved by the Utah Division of Oil, Gas and Mining
SIGNATURE DATE				
		307 276-4842	- /	



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047371460000

API: 43047371460000 Well Name: N CHAPITA 298-28

Location: 1832 FSL 0510 FEL QTR NESE SEC 28 TWNP 080S RNG 220E MER S

Company Permit Issued to: EOG RESOURCES, INC.

Date Original Permit Issued: 9/19/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the req

informat uire revis	tion as submitted in the pre sion. Following is a checklis	viously t of so	 approved application me items related to the 	to drill, re e application	mains valid and does not on, which should be verified.
	ited on private land, has the ed? 🔵 Yes 📵 No	e owne	rship changed, if so, h	as the surf	ace agreement been
	any wells been drilled in the requirements for this location			l which wo	ould affect the spacing or
	nere been any unit or other sproposed well?		nents put in place that	could affe	ct the permitting or operation
	there been any changes to t the proposed location?			nership, o	r rightof- way, which could
• Has th	ne approved source of water	r for dr	illing changed? 🔘 Y	es 📵 No	
	there been any physical cha e in plans from what was d				
• Is bon	nding still in place, which co	vers th	nis proposed well? 🌘	Yes 🔵	Approved by the No Utah Division of Oil, Gas and Mining
nature:	Michelle Robles	Date:	8/26/2010		
Title:	Regulatory Assistant Represe	enting:	EOG RESOURCES, INC.	Da	te: August 31, 2010
				D.	A ORCHNI

Sig

Sundry Number: 18422 API Well Number: 43047371460000

	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCE	250			FORM 9
	3	5.LEA 9	SE DESIGNATION AND SERIAL NUMBER: 9		
SUND	RY NOTICES AND REPORTS	ON	WELLS	6. IF I	NDIAN, ALLOTTEE OR TRIBE NAME:
	sals to drill new wells, significantly deeper ugged wells, or to drill horizontal laterals.			7.UNI	T or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well					LL NAME and NUMBER: APITA 298-28
2. NAME OF OPERATOR: EOG Resources, Inc.					NUMBER: 7371460000
3. ADDRESS OF OPERATOR: 1060 East Highway 40 , Verna			UMBER: xt		LD and POOL or WILDCAT: IRAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1832 FSL 0510 FEL				COUN' UINT	
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NESE Section: 28	IP, RANGE, MERIDIAN: Township: 08.0S Range: 22.0E Meridian:	S		STATE	
11. CHE	CK APPROPRIATE BOXES TO INDICA	TE N	ATURE OF NOTICE, REPOR	T, OR 01	THER DATA
TYPE OF SUBMISSION			TYPE OF ACTION		
	☐ ACIDIZE		ALTER CASING		CASING REPAIR
✓ NOTICE OF INTENT Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS		CHANGE TUBING		CHANGE WELL NAME
9/12/2011	☐ CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	s [CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN		FRACTURE TREAT		NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE		PLUG AND ABANDON		PLUG BACK
	☐ PRODUCTION START OR RESUME	□ ,	RECLAMATION OF WELL SITE		RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	□ <i>:</i>	SIDETRACK TO REPAIR WELL		TEMPORARY ABANDON
·	☐ TUBING REPAIR		VENT OR FLARE		WATER DISPOSAL
☐ DRILLING REPORT	□ WATER SHUTOFF	□ <i>:</i>	SI TA STATUS EXTENSION	J	APD EXTENSION
Report Date:	☐ WILDCAT WELL DETERMINATION		OTHER		HER:
					!
	ompleted operations. Clearly show all per respectfully requests the API extended for one year	D for		be ,	Approved by the Utah Division of il, Gas and Mining
				Date:	09/14/2011
			!	P	on cut III
				Ву: <u> </u>	John John Market
					73
NAME (PLEASE PRINT)	PHONE NUMBER		TITLE		
Michelle Robles	307 276-4842		Regulatory Assistant		
SIGNATURE N/A			DATE 9/12/2011		

Sundry Number: 18422 API Well Number: 43047371460000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047371460000

API: 43047371460000 **Well Name:** N CHAPITA 298-28

Location: 1832 FSL 0510 FEL QTR NESE SEC 28 TWNP 080S RNG 220E MER S

Company Permit Issued to: EOG RESOURCES, INC.

Date Original Permit Issued: 9/19/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

 If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
 Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
 Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? Yes No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No

Signature: Michelle Robles **Date:** 9/12/2011

Title: Regulatory Assistant **Representing:** EOG RESOURCES, INC.

Sundry Number: 28914 API Well Number: 43047371460000

SUNDRY NOTICES AND REPORTS ON WELLS DIVISION OF OIL, 628, AND MINING SUNDRY NOTICES AND REPORTS ON WELLS DIVISION OF OIL, 628, AND MINING DIVISION OF OIL 628, AND MINING SUNDRY NOTICES AND REPORTS ON WELLS DIVISION OF COLOR OF COLO	SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly despen existing wells below control of the proposals. Type of Medical form for Such proposals. 2. MALE OF OPERATOR:		STATE OF UTAH		FORM 9
DO NOT USE this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. 1.17YE OF WELL Gas Well 2. NAME OF OPERATOR: E/O RECOURS. Inc. 3. APPL NUMBER: 430 7731-460000 3. ADORESS OF OPERATOR: E/O RECOURS. Inc. 3. APPL NUMBER: 430 7731-460000 3. APPL NUMBER: 430 7731-7460000 430 7731-4600000 430 7731-460000 430 7731-4600000 430 7731-4600000 430 7731-4600000 430 7731-4600000 430 7731-4600000 430 7731-4600000 430 7731-4600000 430 7731-4600000 430 7731-4600000 430 7731-4600000 430 7731-4600000 430 7731-46000000 430 7731-46000000000000000000000000000000000000	DO NOT USE THIS FORM TO PROPOSALS AND REPORTS ON WELLOW SIGNATIONS OF THE PROPERTY OF THE PROP	ı	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	3	
CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION **CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION **CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION **TYPE OF SUBMISSION **TOTAL OR MARKET HEAVING COMPRETED OF SUBMISSION OR MARKET HEAVING COMPRETED OF SUBMIS	DIVERSITION OF COMMENT OF SUCH INSTITUTE OF SUCH	SUNDR	Y NOTICES AND REPORTS ON	WELLS	·
Sas Well 2. NAME OF OPERATOR: COOR RESOURCES, Inc. 3. APPINUMBER: 4. APPINUMBER:	ANAME (PLEASE PRINT) Vall Nazzaro A NAME (PLEASE PRINT) Vall Nazzaro A ANAME (PLEAS	current bottom-hole depth, i	reenter plugged wells, or to drill horizontal		7.UNIT or CA AGREEMENT NAME:
3. ADDRESS OF OPERATOR: 3. ADDRESS OF OPERATOR: 5. OBJUST 25 STORES OF OPERATOR: 133. FSL 0510 FEL 134. FSL 0510 FEL 135. FSL 0510 FSL 135	3. ADDRESS OF OPERATOR:	_			
4.05 ATUN STEER, Suite 1000 N. Denver, CO, 80202 435 781-9111 Ext NATURAL BUTTES LOCATION TO WELL FOOTAGES AT SURFACE: 1832 FS. LOS 610 FELL OTRIVITA, SECTION, TOWNSHIP, RANGE, MERIDIAN: QUIT/QUT: NESE Section: 28 Township: 08.05 Range: 22.06 Meridian: S TYPE OF ACTION TYPE OF ACTION TYPE OF ACTION TYPE OF ACTION ALTER CASING ALTER CASING ALTER CASING CHANGE WELL STATUS CHANGE TUBING ALTER CASING CHANGE WELL STATUS CHANGE WELL STATUS WELL STREAMSHOON PRODUCTION STATUS RESUME PRODUCTION STATUS REPAIR WILL SUBSTRUCT ON FLABE CHANGE WELL STATUS WELL STREAMSHOON PRODUCTION STATUS RESUME CHANGE WELL STATUS WELL STREAMSHOON PRODUCTION STATUS WELL STATUS WELL STATUS WELL STREAMSHOON PRODUCTION STATUS WELL STATUS WELL STATUS WELL STATUS WELL STATUS WELL STATUS WELL ST	4. LOCATION OF WELL FOOTAGES AT SURFACE: 1032 FS LO 610 FEL OTROITS, SECTION, TOWNSHIP, RANGE, MERIDIAN: OUT/OUT, NESS Section: 28 TOWNSHIP: 08.0S Range: 22.0E Meridian: S TYPE OF SUBMISSION TYPE OF SUBMISSION TYPE OF ACTION NOTICE OF PATENT PROPORTION OF MENULUS STATUS OHANGE TUBBLE STATUS OHANGE				
FOOTAGES AT SURFACE: 1832 FSL 0510 FEL OTROITS, SECTION, TOWNSHIP, RANGE, MERIDIAN: CIT/QIT: NESE Section: 28 Township: 08.05 Range: 22.06 Meridian: S 11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION MOTICE OF MITENT Appreciates date work will start: 8/14/2012 GLANGE TO PREVIOUS PLANS	FOOTAGE AT SURFACE: 1332 FEL SOI 10 FEL OTRIVITY, SECTION, TOWNSHIP, RANGE, MERIDIAN: OTRIVITY, SECTION, SECT				
Ott/Ott: NESE Section: 28 Township: 08.0S Range: 22.0E Meridian: S 11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION ACDIZE ALTER CASING CASING REPAR CHANGE TO PREVIOUS PLANS CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS COMMINIOLE PREVIOUS FORMATIONS PLUG BACK PRODUCTION STATE OR RESUME SPUD REPORT CHANGE WELL STATUS CHANGE WELL STATUS CHANGE WELL STATUS COMMINIOLE PREVIOUS FORMATIONS CHANGE WELL STATUS CHANGE WEL	11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION ACIDIZE ALTER CASING CASING REPAIR ACIDIZE CASING REPAIR ACIDIZE CASING REPAIR ACIDIZE CASING REPAIR CASING REPAIR ACIDIZE CASING REPAIR CASING	FOOTAGES AT SURFACE:			
TYPE OF SUBMISSION TYPE OF ACTION ACROUSE ALTER CASING CASING REPAIR CHANGE TUBING CHANGE TUBING CHANGE WELL NAME CHANGE TUBING CHANGE TUBING CHANGE WELL NAME CHANGE WELL STATUS COMMINGLE PRODUCING FORMATIONS CONVERT WELL TYPE CHANGE TUBING CHANGE WELL STATUS COMMINGLE PRODUCING FORMATIONS CONVERT WELL TYPE CHANGE WELL STATUS COMMINGLE PRODUCING FORMATIONS CONVERT WELL TYPE CHANGE WELL STATUS COMMINGLE PRODUCING FORMATIONS CONVERT WELL TYPE CHANGE WELL STATUS COMMINGLE PRODUCING FORMATIONS CONVERT WELL TYPE CHANGE WELL STATUS COMMINGLE PRODUCING FORMATIONS CONVERT WELL TYPE CHANGE WELL STATUS CONVERT WELL STATUS	TYPE OF SUBMISSION TYPE OF ACTION NOTICE OF INTENT ACIDIZE ALTER CASING CASING REPAIR CHANGE TUBINO CHANGE TUBIN			6	-
NOTICE OF INTENT Approximate date work will start: 8/14/2012 GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL STATUS GHANGE WELL ST	MOTICE OF INTERT ADDITIONAL PROPERTY ADDITIONAL PROPERTY ADDITIONAL PROPERTY BALL ALTER CASING CHANGE TUBING CHANG		K APPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPOR	T, OR OTHER DATA
ApproxInst date work will start: 8/14/2012 CHANGE WELL STATUS COMMINGLE PRODUCING FORMATIONS CONVERT WELL TYPE	NOTICE OF INTENT AB/14/2012 CHANGE TO PREVIOUS PLANS CHANGE TUBRIG CHANGE WELL NAME SA/14/2012 CHANGE WELL STATUS COMMINGLE PRODUCING FORMATIONS CONVERT WELL TYPE SUBSCIUSTIF REPORT NEW CONSTRUCTION PLUG AND ABANDON PLUG BACK SPUD REPORT OPERATOR CHANGE PLUG AND ABANDON PLUG BACK SPUD REPORT CHANGE TURRENT FORMATION SIDETACK TO REPAIR WELL TEMPORARY ABANDON ORILING REPORT WATER SHUTOFF SIT AS STATUS EXTENSION OTHER ORILING REPORT WATER SHUTOFF SIT AS STATUS EXTENSION OTHER 12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. EOG Resources, Inc. respectfully requests the APD for the referenced Well De extended for one year. NAME (PLEASE PRINT) PHONE NUMBER TITLE St. Regulatory Assistant CHANGE WELL INAME CHANGE WELL TYPE NEW CONVERT WELL TYPE NEW CONVERT WELL TYPE NEW CONVERT WELL TYPE RECOMPLETE OFFERNATION WATER DEPORT OF THE NEW CONVERT MEAN CONV	TYPE OF SUBMISSION		TYPE OF ACTION	
NAME (PLEASE PRINT) PHONE NUMBER TITLE	Vail Nazzaro 303 824-5590 Sr. Regulatory Assistant	Approximate date work will start: 8/14/2012 SUBSEQUENT REPORT Date of Work Completion: SPUD REPORT Date of Spud: DRILLING REPORT REPORT Date: 12. DESCRIBE PROPOSED OR	CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS DEEPEN OPERATOR CHANGE PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION TUBING REPAIR WATER SHUTOFF WILDCAT WELL DETERMINATION COMPLETED OPERATIONS. Clearly show all pence. respectfully requests the API	CHANGE TUBING COMMINGLE PRODUCING FORMATIONS FRACTURE TREAT PLUG AND ABANDON RECLAMATION OF WELL SITE SIDETRACK TO REPAIR WELL VENT OR FLARE SI TA STATUS EXTENSION DTHER rtinent details including dates, d O for the referenced	CHANGE WELL NAME CONVERT WELL TYPE NEW CONSTRUCTION PLUG BACK RECOMPLETE DIFFERENT FORMATION TEMPORARY ABANDON WATER DISPOSAL ✓ APD EXTENSION OTHER: Pepths, volumes, etc. Approved by the Utah Division of Oil, Gas and Mining Date: August 28, 2012
1/ (1) 1					
	N/A 8/14/2012	SIGNATURE	303 824-5590	DATE	

Sundry Number: 28914 API Well Number: 43047371460000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047371460000

API: 43047371460000 **Well Name**: N CHAPITA 298-28

Location: 1832 FSL 0510 FEL QTR NESE SEC 28 TWNP 080S RNG 220E MER S

Company Permit Issued to: EOG RESOURCES, INC.

Date Original Permit Issued: 9/19/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? 问 Yes 📵 No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
 Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
 Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? 🔘 Yes 📵 No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? 🌘 Yes 💭 No
Potos Vail Normana Potos 9/44/2042

Signature: Vail Nazzaro Date: 8/14/2012

Title: Sr. Regulatory Assistant Representing: EOG RESOURCES, INC.

Form 3160-3 (August 2007)

RECEIVED

SEP 13 2005

FORM APPROVED OMB No. 1004-0137 Expires July 31, 2010

UNITED STATES	•	SEP 1	3 2005	Expires J	July 31, 2010	!	
DEPARTMENT OF THE	INTERIOR		_,,,,	5. Lease Serial No.			
BUREAU OF LAND MAN	AGEMEN	Γ		UTU 059			
APPLICATION FOR PERMIT TO	DRILL O	R REENTER		6. If Indian, Allotee UTE INDIAN TRIB	or Tribe N E	lame	
la. Type of work: DRILL REENTE	ER.			7. If Unit or CA Agree	eement, Nar	ne and No.	
lb. Type of Well: Oil Well Gas Well Other	✓ Si	ingle Zone Multi	ple Zone	8. Lease Name and NORTH CHAPITA			
2. Name of Operator EOG Resources, Inc.				9. API Well No.	37///		
3a. Address 1060 East Highway 40, Vernal UT 84078	3b. Phone No 435-781-9	0. (include area code) 1111		10. Field and Pool, or	Exploratory	,	
4. Location of Well (Report location clearly and in accordance with any	v State requiren	nents.*)		11. Sec., T. R. M. or B		ev or Arec	
At surface 1832" FSL, 510' FEL (NESE) 40.092133 LAT,				SEC 28, T8S, R22			ı
At proposed prod. zone SAME				0-0-0, 100, 11221	L, O.L.D.	KIVI.	
 Distance in miles and direction from nearest town or post office* 46.55 MILES FROM VERNAL 				12. County or Parish UINTAH		13. State UT	
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any)	16. No. of a 880	acres in lease	17. Spacin	g Unit dedicated to this v	well		
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft.	19. Propose 11330'	d Depth	20. BLM/F NM2308	BIA Bond No. on file			
21. Elevations (Show whether DF, KDB, RT, GL, etc.) NAT GL 4811'	22. Approxi	mate date work will star	t*	23. Estimated duration 45 DAYS	n		
	24. Attac	hments					
The following, completed in accordance with the requirements of Onshore	e Oil and Gas	Order No.1, must be at	tached to thi	s form:	-		
 Well plat certified by a registered surveyor. A Drilling Plan. A Surface Use Plan (if the location is on National Forest System I 		4. Bond to cover the Item 20 above). 5. Operator certification.	ne operation	as unless covered by an o			
SUPO must be filed with the appropriate Forest Service Office).		6. Such other site s BLM.	specific info	rmation and/or plans as	may be req	uired by th	he
25. Signature		(Printed/Typed) ne Gardner			Date 09/02/20	005	
Regulatory Administrator					-		_
Approved (Signature)	Name	(Printed/Typed) Jerry	Kenc	zka	Date OC	T 16	2012
Citle Assistant Field Manager Lands & Mineral Resources	Office			D OFFICE			

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. (Continued on page 2)

Conditions of approval, if any, are attached.

conduct operations thereon.

*(Instructions on page 2)

NOTICE OF APPROVAL CONDITIONS OF APPROVAL ATTACHED

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to



NOV 1 3 2012

DIV. OF OIL, GAS & MINING



OSPPOIDUA



UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT VERNAL FIELD OFFICE** 170 South 500 East

VERNAL. UT 84078

(435) 781-4400



CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company:	EOG Resources, Inc.	Location:	NESE, Sec.28,T8S R22E
Well No:	North Chapita 298-28	Lease No:	UTU-059
API No:	43-047-37146	Agreement:	N/A

OFFICE NUMBER:

(435) 781-4400

OFFICE FAX NUMBER: (435) 781-3420

A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR FIELD REPRESENTATIVE TO INSURE COMPLIANCE

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. This permit is approved for a two (2) year period, or until lease expiration, whichever occurs first. An additional extension, up to two (2) years, may be applied for by sundry notice prior to expiration.

NOTIFICATION REQUIREMENTS

Construction Activity (Notify Ute Tribe Energy & Minerals Dept. and BLM Environmental Scientist)	-	The Ute Tribe Energy & Minerals Dept. and BLM Environmental Scientist shall be notified at least 48 hours in advance of any construction activity. The Ute Tribal office is open Monday through Thursday.
Construction Completion (Notify Ute Tribe Energy & Minerals Dept. and BLM Environmental Scientist)	-	Upon completion of the pertinent APD/ROW construction, notify the Ute Tribe Energy & Minerals Dept. for a Tribal Technician to verify the Affidavit of Completion. Notify the BLM Environmental Scientist prior to moving on the drilling rig.
Spud Notice (Notify BLM Petroleum Engineer)	-	Twenty-Four (24) hours prior to spudding the well.
Casing String & Cementing (Notify BLM Supv. Petroleum Tech.)	-	Twenty-Four (24) hours prior to running casing and cementing all casing strings to: blm.ut_vn_opreport@blm.gov
BOP & Related Equipment Tests (Notify BLM Supv. Petroleum Tech.)	-	Twenty-Four (24) hours prior to initiating pressure tests.
First Production Notice (Notify BLM Petroleum Engineer)	-	Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

SURFACE USE PROGRAM CONDITIONS OF APPROVAL (COAs)

- All new and replacement internal combustion gas field engines of less than or equal to 300 design-rated horsepower must not emit more than 2 gms of NO_x per horsepower-hour. This requirement does not apply to gas field engines of less than or equal to 40 design-rated horsepower.
- All and replacement internal combustion gas field engines of greater than 300 design rated horsepower must not emit more than 1.0 gms of NO_x per horsepower-hour.

General Conditions of Approval

- EOG will adhere to all applicant committed conservation measures and conservation recommendations that are stated in the Chapita Wells-Stagecoach area Natural Gas Development Environmental Impact Statement (EIS), EIS No. UT-080-2005-0010
- The operator will follow the Green River District Reclamation Guidelines for Reclamation.

Mitigation for Invasive Weeds

- All vehicles and equipment will be cleaned either through power-washing, or another approved method, if the vehicles or equipment were previously operated outside the Uinta Basin, to prevent weed seed introduction.
- All disturbance areas will be monitored for noxious weeds annually, for a minimum of three growing seasons following completion of project or until desirable vegetation is established
- Noxious and invasive weeds will be controlled throughout the area of project disturbance.
- Noxious weeds would be inventoried and reported to BLM in the annual reclamation report.
 Where an integrated pest management program is applicable, coordination has been
 undertaken with the state and local management program (if existing). A copy of the pest
 management plan would be submitted for each project.
- A pesticide use permit (PUP) will be obtained for the project, if applicable.

Mitigation for Air Quality

- All new and replacement internal combustion gas field engines of less than or equal to 300 design-rated horse power must not emit more than 2 grams of NOx per horsepower-hour. This requirement does not apply to gas field engines of less than or equal to 40 design-rated horsepower-hour.
- All new and replacement internal combustion gas field engines of greater than 300 design rated horsepower must not emit more than 1.0 grams of NOx per horsepower-hour.
- The following would be used as standard operating procedures: Green completion or controlled VOC emissions methods with 90% efficiency for Oil or Gas Atmospheric Storage Tanks, VOC Venting controls or flaring, Glycol Dehydration and Amine Unites, Well Completion, Re-Completion, Venting, and Planned Blowdown Emissions.

All internal combustion equipment will be kept in good working order.

Water or other approved dust suppressants will be used at construction sites and along roads, as determined appropriate by the Authorized Officer. Dust suppressant such as magnesium chloride or fresh water may be used, as needed, during the drilling phase to control fugitive dust from truck traffic.

Open burning of garbage or refuse would not occur at well sites or other facilities. Drill rigs would be equipped with Tier II or better diesel engines

Low bleed pneumatics will be installed on separator dump valves and other controllers. The

use of low bleed pneumatics would result in a lower emission of VOCs.

During completion, flaring will be limited as much as possible. Production equipment and gathering lines would be installed as soon as possible.

Telemetry will be installed to remotely monitor and control production. This will reduce truck traffic and decrease associated dust and tailpipe emissions.

Signs will be installed on the access road, reducing speed to 25 MPH, during the drilling phase to decrease fugitive dust from truck traffic.

Mitigation for Paleontology

• A permitted paleontologist must be present to monitor the beginning of the construction process at the proposed multi-well pads covered and thereafter conduct a spot-monitor as paleontological conditions merit.

DOWNHOLE PROGRAM CONDITIONS OF APPROVAL (COAs)

SITE SPECIFIC DOWNHOLE COAs:

- For the production casing cementing program, operator is required to pump additional cement beyond the stated amounts in application. The regulatory minimum standard for top of cement is 4850 ft., based on the estimated top of plus a minimum separation of 200 ft. from base of useable water and formation Wasatch 5050.
- Production casing selection of 4.5" N-80 11.6# for a well of this depth and assuming a max MW of 10.5 ppg is marginal (design factor collapse).

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- All requirements listed in Onshore Order #2 III. E. Special Drilling Operations are applicable for air drilling of surface hole.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the
 daily drilling report. Components shall be operated and tested as required by Onshore Oil &
 Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests shall be
 performed by a test pump with a chart recorder and NOT by the rig pumps. Test shall be
 reported in the driller's log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- Cement baskets shall not be run on surface casing.
- The operator must report all shows of water or water-bearing sands to the BLM. If flowing water is encountered it must be sampled, analyzed, and a copy of the analyses submitted to the BLM Vernal Field Office.

- The operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, trona, etc.) to the Vernal Field Office, in writing, within 5 working days of each encounter. Each report shall include the well name/number, well location, date and depth (from KB or GL) of encounter, vertical footage of the encounter and, the name of the person making the report (along with a telephone number) should the BLM need to obtain additional information.
- A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.
- While actively drilling, chronologic drilling progress reports shall be filed directly with the BLM, Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is completed.
- A cement bond log (CBL) will be run from the production casing shoe to the top of cement and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.
- Please submit an electronic copy of all other logs run on this well in LAS format to UT_VN_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM.
- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. Any changes in operation must have prior approval from the BLM Vernal Field Office.

OPERATING REQUIREMENT REMINDERS:

- All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well.
- For information regarding production reporting, contact the Office of Natural Resources Revenue (ONRR) at www.ONRR.gov.
- Should the well be successfully completed for production, the BLM Vernal Field office must be
 notified when it is placed in a producing status. Such notification will be by written
 communication and must be received in this office by not later than the fifth business day
 following the date on which the well is placed on production. The notification shall provide, as a
 minimum, the following informational items:
 - o Operator name, address, and telephone number.
 - Well name and number.
 - Well location (¼¼, Sec., Twn, Rng, and P.M.).
 - Date well was placed in a producing status (date of first production for which royalty will be paid).
 - The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
 - The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
 - o Unit agreement and/or participating area name and number, if applicable.
 - o Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from the BLM Vernal Field Office.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events, as defined in NTL3A, shall be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if

performed. Samples (cuttings, fluid, and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.

- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease, shall have prior written approval from the BLM Vernal Field Office.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The BLM Vernal Field
 Office Petroleum Engineers will be provided with a date and time for the initial meter calibration
 and all future meter proving schedules. A copy of the meter calibration reports shall be
 submitted to the BLM Vernal Field Office. All measurement facilities will conform to the API
 standards for liquid hydrocarbons and the AGA standards for natural gas measurement. All
 measurement points shall be identified as the point of sale or allocation for royalty purposes.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted
 to the BLM Vernal Field Office within 30 days of installation or first production, whichever occurs
 first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be
 adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively
 sealed in accordance with Onshore Oil & Gas Order No. 3.
- Any additional construction, reconstruction, or alterations of facilities, including roads, gathering lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a suitable plan and need prior approval of the BLM Vernal Field Office. Emergency approval may be obtained orally, but such approval does not waive the written report requirement.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover
 equipment shall be removed from a well to be placed in a suspended status without prior
 approval of the BLM Vernal Field Office. If operations are to be suspended for more than 30
 days, prior approval of the BLM Vernal Field Office shall be obtained and notification given
 before resumption of operations.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in order that a representative may witness plugging operations. If a well is suspended or abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of the well bore, showing location of plugs, amount of cement in each, and amount of casing left in hole, and the current status of the surface restoration.

Sundry Number: 41857 API Well Number: 43047371460000

	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOURGE DIVISION OF OIL, GAS, AND MII		5.LEASE DESIGNATION AND SERIAL NUMBER: U-059
SUNDF	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE	
	oposals to drill new wells, significantly reenter plugged wells, or to drill horizon for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: N CHAPITA 298-28
2. NAME OF OPERATOR: EOG Resources, Inc.			9. API NUMBER: 43047371460000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	0 N , Denver, CO, 80202	PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1832 FSL 0510 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNS	HIP, RANGE, MERIDIAN: 28 Township: 08.0S Range: 22.0E Merio	dian: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
/	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
8/29/2013	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
Date of Work Completion.	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER:
12 DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show	all pertinent details including dates	denths volumes etc
I .	nc. respectfully requests the		Approved by the
	well be extended for one y		Utah Division of Oil, Gas and Mining
			Date: September 12, 2013
			By: Doggell
NAME (PLEASE PRINT)	PHONE NUME		
Vail Nazzaro	303 824-5590	Sr. Regulatory Assistant	
SIGNATURE N/A		DATE 8/29/2013	

Sundry Number: 41857 API Well Number: 43047371460000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047371460000

API: 43047371460000 **Well Name**: N CHAPITA 298-28

Location: 1832 FSL 0510 FEL QTR NESE SEC 28 TWNP 080S RNG 220E MER S

Company Permit Issued to: EOG RESOURCES, INC.

Date Original Permit Issued: 9/19/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? Yes No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No
Potos 0/00/0040

Signature: Vail Nazzaro Date: 8/29/2013

Title: Sr. Regulatory Assistant Representing: EOG RESOURCES, INC.

Sundry Number: 55199 API Well Number: 43047371460000

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		5.LEASE DESIGNATION AND SERIAL NUMBER: U-059	
SUNDRY NOTICES AND REPORTS ON WELLS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE	
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		7.UNIT or CA AGREEMENT NAME:	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: N CHAPITA 298-28
2. NAME OF OPERATOR: EOG RESOURCES, INC.			9. API NUMBER: 43047371460000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000		ONE NUMBER: 35 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1832 FSL 0510 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NESE Section: 28 Township: 08.0S Range: 22.0E Meridian: S		STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
9/4/2014	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	New construction
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT	☐ WATER SHUTOFF ☐	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	☐ WILDCAT WELL DETERMINATION	OTHER	OTHER:
12 DESCRIPE BRODOSED OR	COMPLETED OPERATIONS. Clearly show all pe	writing the details including dates of	dontho volumos etc
	nc. respectfully requests the API		Approved by the
	well be extended for one year.		Usehtember 04,f2014 Oil, Gas and Mining
			Date:
			Date.
			By:
NAME (PLEASE PRINT) Donna J Skinner	PHONE NUMBER 303 262-9467	TITLE Sr. Regulatory Assistant	
SIGNATURE	,	DATE	
N/A		9/4/2014	

Sundry Number: 55199 API Well Number: 43047371460000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047371460000

API: 43047371460000 Well Name: N CHAPITA 298-28

Location: 1832 FSL 0510 FEL QTR NESE SEC 28 TWNP 080S RNG 220E MER S

Company Permit Issued to: EOG RESOURCES, INC.

Date Original Permit Issued: 9/19/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

		mio rotatou to mio appirounom, mi		
	ated on private land, ha No	as the ownership changed, if so, h	as the surface agreem	ent been updated? 🔵
	any wells been drilled irements for this locatio	in the vicinity of the proposed we on? OYes ONO	ell which would affect t	the spacing or siting
	there been any unit or oosed well?	other agreements put in place tha	t could affect the perm	nitting or operation of this
	there been any change osed location?	es to the access route including o	wnership, or rightof- w	ay, which could affect the
• Has t	the approved source of	water for drilling changed?	Yes 📵 No	
		al changes to the surface location sed at the onsite evaluation?		will require a change in
• Is bo	nding still in place, which	ch covers this proposed well? 🌘	Yes 🔘 No	
Signature:	Donna J Skinner	Date: 9/4/2014		

Title: Sr. Regulatory Assistant Representing: EOG RESOURCES, INC.

Sundry Number: 65321 API Well Number: 43047371460000

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		5.LEASE DESIGNATION AND SERIAL NUMBER: U-059	
SUNDRY NOTICES AND REPORTS ON WELLS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE	
	posals to drill new wells, significantly d reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: N CHAPITA 298-28
2. NAME OF OPERATOR: EOG RESOURCES, INC.			9. API NUMBER: 43047371460000
3. ADDRESS OF OPERATOR: 1060 East Highway 40, Ve		PHONE NUMBER: 31-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1832 FSL 0510 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NESE Section: 28 Township: 08.0S Range: 22.0E Meridian: S			STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
8/5/2015	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:			
Date of opau.	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
	L TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
l .	COMPLETED OPERATIONS. Clearly show a		A CONTROL OF THE CONT
EOG Resources, Ir	nc. respectfully requests the A		Approved by the Utubusiv050n2015
	well be extended for one ye	ar.	Oil, Gas and Mining
			Date:
			J. 10201100
			By:
NAME (PLEASE PRINT)	PHONE NUMBE		
Kaylene Gardner	435 781-9111	Regulatory Administrator	
SIGNATURE N/A		DATE 8/5/2015	

Sundry Number: 65321 API Well Number: 43047371460000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047371460000

API: 43047371460000 Well Name: N CHAPITA 298-28

Location: 1832 FSL 0510 FEL QTR NESE SEC 28 TWNP 080S RNG 220E MER S

Company Permit Issued to: EOG RESOURCES, INC.

Date Original Permit Issued: 9/19/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

g	
 If located on private land, has the own Yes No 	ership changed, if so, has the surface agreement been updated?
Have any wells been drilled in the vici requirements for this location?	nity of the proposed well which would affect the spacing or siting fes <a> No
Has there been any unit or other agree proposed well? Yes No	ements put in place that could affect the permitting or operation of this
Have there been any changes to the accordance of the proposed location? Yes No	ccess route including ownership, or rightof- way, which could affect the
• Has the approved source of water for	drilling changed? 🔘 Yes 📵 No
Have there been any physical changes plans from what was discussed at the	to the surface location or access route which will require a change in onsite evaluation? 🔵 Yes 📵 No
• Is bonding still in place, which covers	this proposed well? Yes No
nature: Kaylene Gardner	Date: 8/5/2015

Sig

Title: Regulatory Administrator Representing: EOG RESOURCES, INC.

Sundry Number: 73141 API Well Number: 43047371460000

	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		5.LEASE DESIGNATION AND SERIAL NUMBER: U-059
SUNDRY NOTICES AND REPORTS ON WELLS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE	
	oposals to drill new wells, significantly reenter plugged wells, or to drill horize n for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: N CHAPITA 298-28
2. NAME OF OPERATOR: EOG RESOURCES, INC.			9. API NUMBER: 43047371460000
3. ADDRESS OF OPERATOR: 600 17th Street Ste 1000N	, Denver, CO, 80202	PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1832 FSL 0510 FEL		COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NESE Section: 28 Township: 08.0S Range: 22.0E Meridian: S		dian: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
/	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start: 7/14/2016	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
7/14/2010	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
I .	COMPLETED OPERATIONS. Clearly shownc. respectfully requests the well be extended for one y	APD for the referenced	Approved by the Utally \$8,120,160f Oil, Gas and Mining Date: By:
NAME (PLEASE PRINT) Kristen Sheehan	PHONE NUMI	BER TITLE Assistant Regulatory	
SIGNATURE	303 262-9931	DATE	
N/A		7/14/2016	

Sundry Number: 73141 API Well Number: 43047371460000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047371460000

API: 43047371460000 **Well Name**: N CHAPITA 298-28

Location: 1832 FSL 0510 FEL QTR NESE SEC 28 TWNP 080S RNG 220E MER S

Company Permit Issued to: EOG RESOURCES, INC.

Date Original Permit Issued: 9/19/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? Yes No
• Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No
natural Vrieten Sheehen Date: 7/14/2016

Signature: Kristen Sheehan Date: 7/14/2016

Title: Assistant Regulatory Representing: EOG RESOURCES, INC.